



skuba.com.pt



SKUBA®

VINYL TIME RESISTANT

PAVIMENTO VINÍLICO



REF: SKUBA V1179



Wood Design | LVT

REF: SKUBA 1179



Size: 1221 x 180 x 4 MM



m²/ box
2,637 m²



m² / pal
131,85 m²



0,3mm

WEAR LAYER

SUITABLE FOR
FLOOR HEATINGSUITABLE FOR
BATHROOMMOISTURE
RESISTANT

NOISELESS

CASTOR CHAIR
RESISTANT
UNICLIC®




REF: SKUBA V1139




Wood Design | LVT


REF: SKUBA 1139



Size: 1221 x 180 x 4 MM



m²/ box
2,637 m²



m² / pal
131,85 m²



0,3mm

WEAR LAYER

SUITABLE FOR
FLOOR HEATINGSUITABLE FOR
BATHROOMMOISTURE
RESISTANT

NOISELESS

CASTOR CHAIR
RESISTANT

UNICLIC®





REF: SKUBA V1109



Wood Design | LVT

REF: SKUBA 1109



Size: 1221 x 180 x 4 MM



m²/ box
2,637 m²



m²/ pal
131,85 m²



0,3mm

WEAR LAYER



SUITABLE FOR FLOOR HEATING



SUITABLE FOR BATHROOM



MOISTURE RESISTANT



NOISELESS



CASTOR CHAIR RESISTANT



UNICLIC®






REF: SKUBA V1143


Wood Design | LVT


REF: SKUBA 1143



Size: 1221 x 180 x 4 MM


m²/ box
2,637 m²


m² / pal
131,85 m²



UNICLIC®





REF: SKUBA V1125



Wood Design | LVT

REF: SKUBA 1125



Size: 1221 x 180 x 4 MM



m²/ box
2,637 m²



m² / pal
131,85 m²



0,3mm

WEAR LAYER

SUITABLE FOR
FLOOR HEATINGSUITABLE FOR
BATHROOMMOISTURE
RESISTANT

NOISELESS

CASTOR CHAIR
RESISTANT
UNICLIC®



ACESSÓRIOS VINÍLICO

Perfis em Alumínio Disponíveis | Rodapé Branco Mate




Perfil de Transição em Alumínio

2700 x 30 mm



Perfil de Desnível em Alumínio

2700 x 30 mm



Perfil Terminal em Alumínio

2700 x 25 mm



SKUBA UNDERLAY PRO 1,5 mm

Rolo 15m²



Rodapé Branco Mate

2050 x 60 x 10 mm

ACESSÓRIOS LAMINADO

RODAPÉS E PERFIS NAS CORES CORRESPONDENTES AO PAVIMENTO SELECIONADO

Perfis




Perfil de Transição

2700 x 35 mm




Perfil de Desnível

2700 x 40 mm



Perfil de Terminal

2700 x 30 mm



PERFIS EM ALUMÍNIO REVESTIDOS COM BASE INCLUÍDA

Tela



Tela Alta Densidade 3 mm

A aplicação da uma manga plástica de 150u entre a betonilha/suporte e a Tela de Alta Densidade de 3mm é imprescindível, produzindo um efeito de barreira anti-humidade prolongando o bom estado do pavimento flutuante por mais tempo. Apenas deverá prescindir da manga plástica de 150u quando existir aquecimento por piso radiante, e neste caso, deverá aplicar uma tela indicada para o efeito. Consulte o seu fornecedor.

Rodapé



Rodapé MDF Hidrófugo

2250 x 70 x 14 mm





ELITE 4 plus
REF: SL85V8714
Silk Oak





ELITE 4 plus

REF: SL85V8714
SILK OAK



Size: 1285 x 192 x 8 MM


m²/ box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





ELITE 4 plus
REF: SL85V0057
Thames Oak



ELITE 4 plus

REF: SL85V0057
THAMES OAK



Size: 1285 x 192 x 8 MM

m²/ box
2,22 m²

m² / pal
115,44 m²



ABRASION RESISTANCE CLASS 5



ANTI-STATIC FLOOR



A.B.C. ANTI BACTERIAL COATING



RADIANT FLOOR HEATING



CLIC SYSTEM



SLIP RESISTANT





ELITE 4 plus
REF: SL85V5985
Prado Oak





ELITE 4 plus

REF: SL85V5985
PRADO OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLAS S



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





ELITE 4 plus
REF: SL85V0045
Artic Pine





ELITE 4 plus

REF: SL85V0045
ARTIC PINE



Size: 1285 x 192 x 8 MM


m²/ box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM




SLIP RESISTANT





ELITE
REF: SL858274
Victoria Oak





ELITE

REF: SL858274
VICTORIA OAK



Size: 1285 x 192 x 8 MM


m²/ box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





ELITE
REF: SL855946
Frozen Oak





ELITE

REF: SL855946
FROZEN OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





ELITE
REF: SL855985
Prado Oak





ELITE

REF: SL855985
PRADO OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





AUTHENTIC
REF: SL855945
Louvre Oak





ELITE

REF: SL855945
LOUVRE OAK



Size: 1285 x 192 x 8 MM


m²/ box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



ANTI-STATIC
FLOOR



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





AUTHENTIC
REF: SL741675
European Oak





AUTHENTIC

REF: SL841675
EUROPEAN OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLAS S



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT F FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





FLAT
NO GROOVE

AUTHENTIC
REF: SL744009
Metropolitan Oak





AUTHENTIC

REF: SL844009
METROPOLITAN OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





FLAT
NO GROOVE

AUTHENTIC
REF: SL748461
Glaciar Oak



AUTHENTIC

REF: SL848461
GLACIAR OAK



Size: 1285 x 192 x 8 MM



m²/ box
2,22 m²



m² / pal
115,44 m²



ABRASION
RESISTANCE CLAS S



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





AUTHENTIC
REF: SL748459
Imperial Cherry



AUTHENTIC

REF: SL848459
IMPERIAL CHERRY



Size: 1285 x 192 x 8 MM



m² / box
2,22 m²



m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





AUTHENTIC
REF: SL745985
Prado Oak





AUTHENTIC

REF: SL845985
PRADO OAK



Size: 1285 x 192 x 8 MM


m² / box
2,22 m²


m² / pal
115,44 m²



ABRASION
RESISTANCE CLAS 5



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT F FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





FLAT
NO GROOVE

AUTHENTIC
REF: SL748096
Momma Oak



AUTHENTIC

REF: SL848096
MOMMA OAK



Size: 1285 x 192 x 8 MM



m²/ box
2,22 m²



m² / pal
115,44 m²



ABRASION
RESISTANCE CLASS



AQUASTOP



A.B.C. ANTI
BACTERIAL COATING



RADIANT FLOOR
HEATING



CLIC SYSTEM



SLIP RESISTANT





skuba.com.pt



SKUBA®

LAMINATE TIME RESISTANT

PAVIMENTO LAMINADO